





ATHEN XL

_Refrigerators and freezers. Plug-in installation

The absolute benchmark in energy efficiency.

ATHEN XL is the energy efficiency world champion! The world's most economical refrigeration unit also offers the most storage space for your products.



HIGH ENERGY SAVINGS

Save even more compared to conventional multi-unit systems, thanks to the sophisticated technology and design with AHT e-conomize. In addition, the electronically controlled, variable-speed compressor (VS) ensures maximum energy efficiency.



LOW COSTS

The low investment outlay and operating costs speak for themselves. In addition, the outer-skin condenser on ATHEN XL provides for completely maintenance-free refrigeration. Ready-to-connect installation means ATHEN XL can be used immediately.



ENVIRONMENT AND CLIMATE

ATHEN XL units are completely CFC- and HFC-free and use the ecologically harmless and natural refrigerant propane (R290). R290 has the lowest GWP on the market. This makes them particularly environmentally friendly.



SEMI-AUTOMATIC DEFROSTING

Semi-automatic defrosting is possible in all temperature ranges. The constant temperature and high-quality plastic containers mean that the shelf life and hygiene of all products are always ensured. The plastic interior drip tray guarantees easy cleaning.



COMPATIBLE WITH AMS

Our Active Monitoring System (AMS) allows us to detect problems before you notice them. As an essential add-on to all AHT products, the AMS makes it much easier for you to manage and monitor the AHT cooling systems in your stores.

INDIVIDUAL BRANDING

AHT cooling units are constructed individually: Using our template, you create the design, then we apply it directly during production.

JJ

TEMPERATURE RANGES

Cooling $+3^{\circ}\text{C}$ to $+15^{\circ}\text{C}^{-1}$ Freezing -18°C to -23°C Mincemeat/meat chilling 0°C to $+2^{\circ}\text{C}$

USPs

ENERGY EFFICIENCY & TOTAL COST OF OWNERSHIP

ATHEN XL is a double world champion with the lowest power consumption and lowest total cost of ownership (TCO) on the global market.

LARGEST CAPACITY

ATHEN XL provides the largest capacity of all AHT refrigerators and freezers for your products. With up to 1071 litres, three pizzas fit one behind the other, for example, in the ATHEN XL 250.





STANDALONE UNIT





CONFIGURATIONS

Solo

Row






Block







- _optionally with end cabinet on both sides
- _extendible with commercially available shelf attachments




ACCESSORIES


- _ Price display for end cabinet (suitable for high cover)
- _ High cover (between the back-to-back units)
- _Low cover (between the back-to-back units)
- _Side cover (closes off the island at the sides)
- _Water protection strip (colour change on customer request)

- _ Vario grid system (rack inserts & wire dividers) & wire basket inserts
- _Scanner strips
- _Impact protection
- _Colour and styling options tailored to customer requirements (housing, protective bumper strip, plastic parts in 2 standard colours)
- _Compatible with the Active Monitoring System (AMS)

ATHEN XL


EC 207





ATHEN XL

175 / 210 / 250





DIMENSIONS

| ATHEN XL | | 175 | | EC 207 | | 210 | | 250 |
|-------------------------------|----|---------------|---|---------------|---|---------------|---|---------------|
| Length, exterior / interior | mm | 1,752 / 1,623 | - | 2,080 / 1,948 | 1 | 2,102 / 1,973 | - | 2,502 / 2,373 |
| Depth, exterior / interior | mm | 994 / 863 | | 994 / 863 | | 994 / 863 | | 994 / 863 |
| Height, front / rear | mm | 803 / 910 | - | 803 / 910 | 1 | 803 / 910 | - | 803 / 910 |
| Stacking height, front / rear | mm | 600 / 600 | | 600 / 600 | | 600 / 600 | | 600 / 600 |



AHT Cooling Systems GmbH

Werksgasse 57 8786 Rottenmann | Austria p. +43 3614 24 51-0 sales@aht.at



Fixwell Display System NZ Ltd Unit 3, Bldg E, 4 Pacific Rise,
Mt. Wellington, Auckland 1060, New Zealand.
Tel.: +64 9 970 1019
Email: sales@fixwell.co.nz