

AHT
a member of **DAIKIN** group

FIXWELL
www.fixwell.co.nz



SAO PAULO

_Freezer cabinet. Plug-in installation

Elegant and enjoyable

SAO PAULO is perfect for all types of ice cream. Whether packaged ice cream flavors or open ice cream with SAO PAULO the eye eats definitely with. This is pure pleasure.



VISUAL MERCHANDISE

SAO PAULO is perfect for kids - by the low height, even the little ones can see the delicious flavours of ice cream. The smooth-running, two-piece, straight sliding lids with the proven and patented AHT cover frame ensures easy removal of goods.



HIGH ENERGY SAVINGS

SAO PAULO scores with a low power consumption. In addition, the new energy-saving fan saves 0.5 kWh daily.



ENVIRONMENT AND CLIMATE

SAO PAULO is completely free of CFCs and HFCs and uses the ecologically harmless and natural refrigerant propane (R290). This is our contribution to a better environment.



LOW COST

SAO PAULO is completely maintenance-free. The proven AHT quality guarantees you a trouble-free longevity. SAO PAULO is suitable for climate class 3 to 7 through the different design variants.



SMART INSTALLATION

Thanks to the plug-in installation, SAO PAULO can be used immediately. Simply connect it to a standard power outlet and place it wherever you want.



MULTIFUNCTIONAL USE

Due to different version it is perfect suitable for impulse and scooping ice cream. As SAO PAULO is equipped with rolls it can easily be moved to your preferred spot.

INDIVIDUELLES BRANDING

AHT cooling units are constructed individually: Using our template, you create the design, then we apply it directly during production.



TEMPERATURE RANGES

Freezing	-14 °C to -23 °C
Scooping ice cream	-6 °C to -23 °C

USPs

IDEAL FOR WRAPPED & OPEN ICE CREAM

SAO PAULO presents both open and packaged ice cream flavours. Due to the low height, it is easily accessible from all four sides. With the scooping top it can perfectly be used for scooping ice cream.

INDEPENDENT POSITIONING

SAO PAULO can be accessed from all sides and provides the ideal solution due to its different variants.



SAO PAULO H68



SAO PAULO H100



SAO PAULO H175



SAO PAULO H125



SAO PAULO H150

ACCESSORIES

- _ Temperature display: outside and/or inside
- _ Condensate drain
- _ Robust castors (lockable)
- _ Light canopy
- _ scooping attachment for scooping ice cream
- _ Inner LED light
- _ Baskets and inner dividers
- _ Lock
- _ Additional fastening options in the form of rivet nuts
- _ Isolated sliding lids
- _ energy saving fan



SAO PAULO H68 SCOOP



SAO PAULO H100 SCOOP



SAO PAULO H125 SCOOP




SAO PAULO H150 SCOOP



SAO PAULO H175 SCOOP

SAO PAULO

68 / 100 / 125 / 150 / 175



DIMENSIONS

SAO PAULO G S			68	100	125	150	175
length, exterior / interior	mm		678 / 530	998 / 850	1,248 / 1,100	1,498 / 1,350	1,748 / 1,600
Depth, exterior / interior	mm		709 / 560	709 / 560	709 / 560	709 / 560	709 / 560
height outside front / rear	mm		883 / 883	883 / 883	883 / 883	883 / 883	883 / 883
Stacking height	mm		610 / 630	610 / 630	610 / 630	610 / 630	610 / 630

AHT
a member of **DAIKIN** group

AHT Cooling Systems GmbH

Werksgasse 57
8786 Rottenmann | Austria
p. +43 3614 24 51-0
sales@ah.t.at
www.ah.t.at

FIXWELL
www.fixwell.co.nz

Fixwell Display System NZ Ltd
Unit 3, Bldg E, 4 Pacific Rise,
Mt. Wellington, Auckland 1060, New Zealand.
Tel.: +64 9 970 1019
Email: sales@fixwell.co.nz